

Head Office 2 Hovey Rd, Yatala QLD 4207, Australia.

Postal Address: PO Box 6127, Yatala QLD 4207, Australia

Phone: +61 7 3451 0000 Fax: +61 7 3451 0093 Email: customerservice@agrichem.com.au

Safety Data Sheet

GreenXtra TM SDS revision 02 28th March 2022

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION		
Product Name	GreenXtra ™	
Other Names	None	
Uses:	Plant food, activator and catalyst for professional applicators	
Chemical family	Plant / crop nutrition	
Chemical formula	Compounded product refer to chapter 3	
Chemical name	Compounded product refer to chapter 3	
Molecular weight	Compounded product refer to chapter 3	
Product description	Liquid fertiliser, for the correction and prevention of plant nutrient deficiencies	
Contact details of the supplier of this Safety Data Sheet		
Company Name	Agrichem	
Company address	2 Hovey Rd Yatala QLD 4207 Australia	
Phone number	+ 61 7 3451 0000	
Emergency contact	Poison Information Centre Australia – 13 11 26	

Poisons Schedule (Australian)	Not listed in SUSMP
Globally Harmonised System (GHS) Hazard classification	This product is classified as hazardous under GHS/WHS
Hazard Category	Acute Toxicity (oral) – category 5 Skin Corrosion / Irritation – category 3 Serious Eye Damage / Irritation – Category 2A
Pictograms	<u>(!</u>)
Signal word	Warning
Hazard Statements	H303 May be harmful if swallowed. H316 Causes mild skin irritation. H319 Causes serious eye irritation.
Prevention	P234 Keep only in original container. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P280 Wear eye protection/face protection.
Response	P301+P317 IF SWALLOWED: Get medical help. P332+P317 If skin irritation occurs: Get medical help. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P317 If eye irritation persists: Get medical help.
Storage	P102 Keep out of reach of children. P234 Keep only in original packaging.
Disposal	P501 Dispose of contents/container in accordance with local / regional / national regulations.

National Transport Commission (Australian)

Australian Code for the transport of Dangerous Goods by Road and Rail (ADG Code)

Is Not a Dangerous Goods according to the criteria of the ADG Code for road or rail transport ref ADG Code, ref to chapter 14 of this SDS.

3. INFORMATION ON INGREDIENTS

FIRE FIGURENCE AFACURES

Ingredient	CAS Registry number	Proportion %w/w
Water	7732-18-5	≥30 - <60
Urea	57-13-6	≥30 - <60
Ferrous sulphate	7782-63-0	≥10 - <30
Magnesium sulphate	10034-99-8	<10

No other ingredients present which to the current knowledge of Agrichem & in the concentrations present are classified as hazardous to health and thereby require reporting in this chapter.

Swallowed	Rinse mouth with water. Drink plenty of water/milk if possible. Do not Induce vomiting, seek medical advice immediately. Take this SDS with you to the medical examination.
Eye	Immediately wash in and around the eye area with plenty of water for 15 minutes. Eyelids to be held apart. Check for contact lenses, remove if easy to do Seek ophthalmological / medical attention.
Inhalation	Avoid breathing mist, spray or vapour. If inhaled, remove to fresh air. Should breathing become irregular or stop, apply artificial respiration. Consult a medica doctor immediately.
Skin	Take off contaminated clothing. Rinse skin / hair immediately with plenty of soap and water. Seek medical advice if irritation persists. Wash clothing prior to reuse.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient.
Medical Conditions Aggravated by Exposure	No Data Available.

Have the product container or label with you when calling the Poison Information Centre or a doctor or going for treatment.

5. FIRE FIGHTING MEASURES	
General measures	Clear area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
Flammability conditions	Non-flammable, aqueous solution.
Extinguishing Media	Use any means suitable for extinguishing surrounding fire.
Fire and Explosion Hazard	Containers if heated, resultant increase in pressure may cause container to burst. Do not inhale fumes and or gases of combustion.
Hazardous Products of Combustion	No Data Available
Special Fire Fighting Instructions	Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
Flash point	No data available
Lower Explosion Limit	No data available
Upper Explosion Limit	No data available
Auto ignition Temperature	No data available

No data available

Hazchem Code

General Response Procedures	Avoid accidents, clean up immediately. Slippery when spilt. Increase ventilation Avoid generating dust from dried product. Stop leak if safe to do so. Isolate the danger area.
Clean up Procedures	Land spill: Dike spill with absorbent or impervious materials such as earth, sand o clay. Vacuum, shovel, pump or sweep up the product and place in containers for disposal in accordance with applicable local regulations. Avoid contamination of water bodies during clean up and disposal. See containment section below.
	Spillage into water. Where possible, remove any intact containers from the water. Advice to local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns water to norma environmental background levels.
Containment	Stop Leak if safe to do so. Isolate the danger area. Dike and absorb spill using inert absorbent materials such as earth, sand, clay, zeolite, or diatomaceous earth.
Environmental Precautionary Measures	DO NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority and local Waste Management. The product is soluble in water (see section 12)
Evacuation Criteria	Evacuate all unnecessary personnel from immediate area.
Personnel Precautionary Measures	Personnel involved in the clean-up should wear protective clothing as listed in section 8.

7. HANDLING AND STORAGE	
Handling	Prevent against physical damage. Wash hands after handling this material. Good housekeeping, splash and dust (when product dries) prevention procedures should be followed to minimize exposure and accumulation. Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Avoid contact with eyes, skin and clothing. Do not inhale product mist, spray or fumes
Storage	Store in a cool, dry, well-ventilated area. Keep containers tightly closed if not in use. Inspect regularly for hazards such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Do not store with food stuffs. Use good housekeeping practices to prevent accumulation of product and follow sound cleaning techniques that will prevent contamination. Dry indoor storage is recommended. Provide appropriate ventilation and store containers such as to prevent any accidental damage.
Container / tankage	Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION	
General	No specific exposure standards has been established for this product by Safe Work Australia
Exposure Limits	No Data Available. However all sources of contamination should be keep to as low a level as is workable
Biological limits	No information on biological limit values available for this product.
Engineering Measures	A system of local and or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust extraction / ventilation is preferred as it controls emissions at the source preventing dispersion of the general work area. Adequate ventilation should be provided so that exposure limits are not exceeded.

Personal Protection Equipment PPE	
	RESPIRATOR: Respirators should be used for conditions of use where exposure to spray or mist is apparent and engineering controls are not feasible.
	EYES: Use chemical safety goggles. Maintain eye wash fountain and quick drench facilities in work area (AS1336/1337). An emergency eyewash or water supply should be readily accessible to the work area.
	HANDS: Gloves, chemical resistant (AS2161).
	CLOTHING: Lab coat, apron or coveralls and safety footwear (AS3765/2210).
Work Hygienic practices	Thoroughly wash hands, forearms and face after using product, prior to eating, smoking using toilet or at end of work period. Contaminated clothing to be laundered prior to re-use

Physical state	Liquid
Appearance	Solution
Odour	Slight, characteristic
Colour	Green to brown
рН	2.0 – 3.0
Vapour pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling point	>100 degrees Celsius
Melting point	No Data Available
Freezing point	No Data Available
Solubility in water	Soluble in water (aqueous solution)
Specific gravity (kg/l)	1.30 – 1.32
Flash point	No Data Available
Auto Ignition temp	No Data Available
Decomposition temp	No Data Available
Molecular weight	No Data Available
Particle size	No Data Available
Particle size distribution	Solution product, no significant particles present
Viscosity	< 100 centipoise

10. STABILITY AND REACTIVITY	
General Information	This product is stable under normal handling and storage conditions.
Chemical Stability	Stable under ordinary conditions.
Conditions to Avoid	Excessive heat, do not store near heat or flames or temperatures below 5 deg C.
Materials to Avoid	 Strong bases Strong oxidizing agents – may decompose
Hazardous Products of Decomposition	No Data Available
Hazardous Polymerisation	No Data Available

11. TOXICOLOGICAL INFORMATION	
General Information	No Data Available
	Exposure by all routes should be minimised under good product stewardship.
Eye Irritant	No Data Available
Ingestion	Acute oral toxicity calculation >4000mg/kg
	May cause diarrhoea, nausea, vomiting, cramps, weakness and tiredness
Inhalation	No Data Available
Skin Irritant	No Data Available
Reproduction	No Data Available
Carcinogen Category	No Data Available
Mutagenicity	No Data Available
Information on toxicological ef	fects by ingredients where available
Ferrous sulphate	Oral LD ₅₀ 1520 mg/kg in the Mouse - HSDB
	Oral LD50 2000mg/kg in the rat – ECHA
	Dermal LD50 155mg/kg in the rat - HSDB
Magnesium sulphate	Oral LD50 >2000 mg/kg in the Rat (female)
Urea	Oral LD ₅₀ 8472mg/kg in the Rat

12. ECOLOGICAL INFORMATION		
General Ecotoxicity	Adopt good working practices and procedures to restrict environmental release.	
Algal toxicity	No Data Available	
Invertebrate toxicity	No Data Available	
Persistence/ Degradability	No Data Available	
Mobility	Highly soluble in water	
Environmental Fate	Do NOT let product reach waterways, drains and sewers	
Bioaccumulation	Low as all elements are essential to plant life and exported in harvested portion	
Environmental impact	No Data Available	
Ecological hazard by ingredient, where available		
Ferrous sulphate	Oral LD50 1520 mg/kg in the Mouse	
Magnesium sulphate	LC50>96.4 mg/l in Oryzias latipes (fish) 96 hours	
	LC ₅₀ >2820 mg/l in Pimephales promelas (fish) 96 hours	
	LC50>1820 mg/l in Daphnia magna (invertebrates) 48 hours	
Urea	Toxicity threshold: Scenedesmus quadricauda (green algae) >10,000 mg/l, toxic	
	effect: multiplication inhibition of cell	

13. DISPOSAL CONSIDERATIONS	
General Information	Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.
Special Precautions for Landfill	Small quantities of this product can usually be disposed of at Liquid Waste Disposal sites. No special disposal treatment is required, but local authorities should be consulted about any specific local requirements. Larger volumes of this product are not recommended to be sent to Liquid Waste Disposal sites. Such product should, if possible, be used for an appropriate application.

14. TRANSPORTATION INFORMATION	
Land Transport, Australian Dangerous Goods Code (ADG Code) for transport by road and rail.	
DG classification	Not listed in ADG Code

	.
Regulation: ADR / RID	
UN number	Not regulated
UN proper shipping name	Not applicable
Transport hazard class (es)	Not applicable
Packaging group	Not applicable
Environmental hazard	No applicable
Additional information	Not applicable
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport
Regulation: IMDG	
UN number	Not regulated
UN proper shipping name	Not applicable
Transport hazard class (es)	Not applicable
Packaging group	Not applicable
Environmental hazard	Not applicable
Marine pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport
Regulation: IATA	
UN number	Not regulated
UN proper shipping name	Not applicable
Transport hazard class (es)	Not applicable
Packaging group	Not applicable
Environmental hazard	Not applicable
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport

15. REGULATORY INFORMATION	
General information	Not a Dangerous goods under ADG Code
Poisons Schedule	Not listed in SUSMP
Hazardous Chemical Information system (HCIS)	Not listed in HCIS

16. OTHER INFORMATION

The information contained in this SDS is by way of general comment only. Because conditions of use, suitability of product and application conditions are beyond the control of Agrichem, this SDS does not offer any advice in respect to any product. The authors and Agrichem hereby disclaim any liability to any person, property, or thing in respect of any consequence of anything done or omitted to be done by any person in reliance, whether wholly or in part, upon whole or part of the contents of this SDS.

< Less than

> Greater than

a.i. Active ingredient

ADG Code Australian dangerous goods

AICS Australian Inventory of Chemical Substances

ATE Acute toxicity extimation

atm Atmosphere

CAS Chemical Abstract Service (registry number)

Cm² Square Centimetres

CO2 Carbon Dioxide

deg C (°C) Degrees Celsius

EPA Environmental Protection Agency based in each state of Australia

g Grams

g/cm3 Grams per Cubic Centimetre

g/I Grams per Litre

GRAS Generally recognised as safe

HSIS Hazardous substances information system

HSNO Hazardous substances and New Oraanism

HDPE High density polypropylene

IDLH Immediately Dangerous to Life and Health

Immiscible Liquid are insoluble in each other

inHg inch of Mercury

InH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilogram per Cubic Metre

LC₅₀ LC stands for lethal concentration, LC₅₀ is the concentration of a product in air that will cause the death of 50% of a population of test animals. Product is normally inhaled for between 1 and more typically 4 hours LD50 LD stands for lethal dose. LD50 is the amount of product given in a single dose, causing death in 50% of a population of test animals.

End of SDS

LDLo The lowest amount of a solid or liquid material reported to have caused the death of animals or humans

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 hours

mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids from one

homogeneous liquid phase regardless of the amount of either component present

mm Millimetre

mmH₂O Millimetres of Water mPa.s Millipascals per Second MSHA Mine safety and health

administration

N/A Not Applicable

NIOSH National Institute for Occupational

Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Office for Economic Co-operation and Development

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

PPE personal protective equipment

ppm Parts per Million

ppm/2h Parts per million per 2 hours

ppm/6h Parts per million per 6 hours

psi Pounds per square inch

R Rankine

RCP Reciprocal Calculation Procedure

SCBA Self Contained Breathing Apparatus

SWA Safe Work Australia

STEL Short Term Exposure Limit

SUSMP Standard for the uniform scheduling

of medicines and poisons

TVL Threshold Limit Value

TWA Time Weighted Average

UN United Nations

wt Weight